






# Clean out of place (COP) Tanks and washers

Serving the food, dairy, & beverage industry  
with strong, long-lasting equipment.



The Anco Clean Out of Place (COP) immersion parts washer is designed to provide a consistent alternative to manual cleaning. Our COP tanks come with sanitary jet manifolds, which are fully welded and polished to eliminate unsanitary crevices and high-velocity turbulence. This continuous agitation effectively removes residue from piping, hoses and a wide variety of machine parts.



Custom dimensions are available upon request. The horse power of the pump will depend on the PSI, flow rate, and level of debris you are cleaning.

#### 4 Ft Standard COP Tank

- 48" L x 24" W x 22" H (72" Total Height)
- 110 Gallon Tank (Approximate)
- 3 H.P. Ampco Pump\*
- Available with or without lid and back rack



#### 6 Ft Standard COP Tank

- 72" L x 24" W x 22" H
- 165 Gallon Tank (Approximate)
- 5 H.P. Ampco Pump\*
- Available with or without lid and back rack



#### 8 Ft Standard COP Tank

- 96" L x 30" W x 24" H
- 300 Gallon Tank (Approximate)
- 5 H.P. Ampco Pump\*
- Available with or without lid and back rack



#### 10 Ft Standard COP Tank

- 120" L x 30" W x 24" H
- 375 Gallon Tank (Approximate)
- 7.5 H.P. Ampco Pump\*
- Available with or without lid and back rack




#### 12 Ft Standard COP Tank

- 150" L x 30" W x 24" H
- 450 Gallon Tank (Approximate)
- 10 H.P. Ampco Pump\*
- Available with or without lid and back rack










# Anco Titan Series

The Anco Titan Series COP tanks are built specifically for large custom jobs. The Titan offers customizable dimensions, design, accessories and material strength to assist customers who require larger cleaning capacity.






1. Schedule Pipe Jets
2. Ampco Centrifugal Pump with Motor Starter
3. Heavy Duty Food Grade Casters or 3-A Adjustable Ball Feet.
4. Stainless Steel Back Racking
5. Anderson Thermowell (other brands available upon request).
6. Anderson Chart Recorder
7. Electric Heater
8. PLC Controls
9. Limit Switch
10. PH Controls
11. Leveling Sensor
12. Tank Cover with Food Grade Gas Shocks
13. Steam Valve
14. Dual Manifolds



## Portable Electric Heater

This is an option when steam heat is not available. Three phase power is required for this unit.



## Steam Heating

Steam heating can be safely disbursed into the tank with a steam sparger rated at 40 PSI, that is connected from a tri-clamp fitting.

The COP stainless steel wire baskets come in a variety of sizes and designs for easy immersion and cleaning.



Fittings Basket: 19 3/4"L x 15"W x 4"D



Large Parts Basket: 22"L x 22"W x 10"D



Valve Basket: 22"L x 15"W x 10"D



Small Parts Basket: 19"L x 15"W x 4"D



Gasket Basket: 12"L x 6"W x 10"D

The background of the left page is a solid blue color. In the upper half, there is a faint, light blue line drawing of a large rectangular industrial container or tank. In the lower half, there is a faint, light blue line drawing of a large industrial machine, possibly a pump or a large container on wheels, with various pipes and structural elements. The Anco Equipment logo is prominently displayed in the upper left quadrant of the blue area.

**Anco**  
EQUIPMENT

## Contact us !

**Email:** [info@ancoequipment.com](mailto:info@ancoequipment.com)

**Phone:** (920) 569-3530

**Mailing Address:** 1070 East Glenbrook Drive  
Pulaski, Wisconsin 54162

[www.ancoequipment.com](http://www.ancoequipment.com)

